

INSTRUCTIONS AND MAINTENANCE

VAPORINO INOX MAXI mod. 2016

Read the directions carefully before operating.

Don't use the machine differently from following description.

1. SPECIFICATIONS

MODEL:	VAPORINO INOX MAXI mod. 2016
POWER SUPPLY:	230 V - 50 Hz.
TOTAL INSTALLED POWER:	2100 W
IRON POWER:	800 W
BOILER POWER:	1300 W
BOILER CAPACITY:	2,1 L.
IRONING ENDURANCE:	about 3 hours
OPERATING STEAM PRESSURE:	2,8 BAR
WEIGHT:	8,2 kg
OVERALL DIMENSIONS:	26x36x28 h. cm

MADE IN ITALY





Fig. 1



VAPORINO INOX MAXI mod. 2016

Vedi tavola relativa
al ferro da stiro

See drawing representing
steam iron's spare parts



Descrizione : Vaporino Inox Maxi mod. 2016

Art. : VAI000

Description : Vaporino Inox Maxi mod.
2016

Cod.	Pz.	Descrizione	Description
G00001	1	Antenna reggifilo Vaporino/Vaporbaby	Cable support for mod. Vaporino & Vaporbaby
G00004	1	Poggia ferro epdm nero	Black rubber iron rest
G00006	1	Serracavo caldaie semiprofessionali	Cable clamp for semi-professional boilers
G00007	1	Gommino passacavo grande	Rubber ring for wire
G00008	1	Cavo elettrico spina Schuko + cabl.	Electric cable, fitted with Schuko plug with wiring
G00009	1	Morsettiera 2.5mm 12 poli	2,5mm terminal board with 12 poles
G00010	1	Lampadina spia verde Ø10	Green pilot lamp Ø10
G00011	1	Lampadina spia arancio Ø10	Orange pilot lamp Ø10
G00014	1	Valvola di sicurezza PED 1/8" 5 bar	Safety valve PED 1/8" 5 Bar
G00015	1	Grafite per resistenza caldaia	Graphite plate for heating element
G00018	2	Morsetto per resistenza	Clamp for resistance
G00021	4	Piedino paracolpo per caldaia	Buffer for boilers
G00022	1	Fascetta monorecchia	Clamp
G00024	1	Manico caldaia	Boiler handle
G00026	1	Elettrovalvola vapore compl. 1/4" famiglia con regolaz.	Steam solenoid valve 1/4 w/adjustment
G00029	2	Dado G 1/4"	Nut 1/4"
G00032	1	Raccordo Y 1/8" F	Y-joint 1/8"
G00034	2	Raccordo a calzamento Ø6 - 1/8" M	Joint Ø6 - 1/8" M
G00037	1	Pressostato 1/8" (1-5 Bar) tar. 2.8 bar	Pressure switch 1/8" (1-5 Bar)
G00038	1	Manometro 1/8" 0-6 bar	Pressure gauge/manometer 1/8"
G00039	2	Interruttore luminoso verde 16A	Green boiler/iron switch 16 A
G00041	1	Tappo valvola di sicurezza PED G 3/4" 5 bar	Safety valve plug PED G 3/4"
G00042	1	Guarnizione OR tappo 3/4"	Gasket for safety valve plug 3/4"
G00049	1	Connettore 45 cm	Connector with cable 45 cm
G00050	1	Dado G 3/4"	Nut 3/4"
G00051	1	Portagomma 1/4" M	Hose-holder 1/4"
G00052	2	Rondella 1/4"	Washer 1/4"
G00053	1	Rondella 3/4"	Washer 3/4"
G00054	1	Resistenza pressofusa W 1300 per Sole e Vaporino Inox Maxi	External heating element 1300W for Sole and Vaporino Inox Maxi
G00058	1	Raccordo T 1/8" M centr.	T-Joint 1/8"
G00075	1	Termostato 165° C + termofusibile 298° C	Thermostat 165°C + thermofuse 298°C
G00132	1	Tubo teflon diam. 6x4 (1mt)	Teflon hose diam. 6x4 (1mt)
VA0002	1	Caldaia 2 lt. inox (per Vaporino Maxi 2010 e Inox Maxi 2010)	Stainless steel boiler 2 lt. for Vaporino Maxi/Inox Maxi 2010
VA0003	1	Isolante caldaia 2 lt. (per Vaporino Maxi 2010 e Inox Maxi 2010)	Insulating cover for Vaporino Maxi and Vaporino Inox Maxi
VAI001	1	Carenatura completa Vaporino Inox Maxi 2010	Casing for Vaporino inox maxi
Z00000	1	Ferro da stiro generico (specificare il modello desiderato in fase di ordine)	Iron